

# Contents

|          |   |            |
|----------|---|------------|
|          | <i>Preface</i>  | page xxiii |
|          | <i>User's Guide</i>   | xxv        |
|          | <i>List of Topics and Phenomena</i>   | xxviii     |
| <b>1</b> | <b>A Panorama of Lebesgue Integration</b>   | <b>1</b>   |
|          | 1.1 Modern Integration. 'Also zuerst: Was hat man unter $\int_a^b f(x) dx$ zu verstehen?' | 1          |
|          | 1.2 The Idea Behind Lebesgue Integration  | 4          |
|          | 1.3 Lebesgue Essentials – Measures and $\sigma$ -Algebras                                 | 6          |
|          | 1.4 Lebesgue Essentials – Integrals and Measurable Functions                              | 10         |
|          | 1.5 Spaces of Integrable Functions  | 13         |
|          | 1.6 Convergence Theorems  | 17         |
|          | 1.7 Product Measure, Fubini and Tonelli   | 21         |
|          | 1.8 Transformation Theorems   | 24         |
|          | 1.9 Extension of Set Functions and Measures   | 27         |
|          | 1.10 Signed Measures and Radon–Nikodým  | 29         |
|          | 1.11 A Historical Aperçu From the Beginnings Until 1854                                   | 31         |
|          | 1.12 Appendix: H. Lebesgue's Seminal Paper  | 33         |
| <b>2</b> | <b>A Refresher of Topology and Ordinal Numbers</b>  | <b>36</b>  |
|          | 2.1 A Modicum of Point-Set Topology   | 36         |
|          | 2.2 The Axiom of Choice and Its Relatives   | 41         |
|          | 2.3 Cardinal and Ordinal Numbers  | 43         |
|          | 2.4 The Ordinal Space   | 46         |
|          | 2.5 The Cantor Set: A Nowhere Dense, Perfect Set  | 47         |
|          | 2.6 The Cantor Function and Its Inverse   | 49         |
| <b>3</b> | <b>Riemann Is Not Enough</b>  | <b>55</b>  |
|          | 3.1 The Riemann–Darboux upper integral is not additive                                    | 57         |

|          |   |           |
|----------|---|-----------|
| 3.2      | Why one should define Riemann integrals on bounded intervals  | 58        |
| 3.3      | There are no unbounded Riemann integrable functions   | 58        |
| 3.4      | A function which is not Riemann integrable  | 59        |
| 3.5      | Yet another function which is not Riemann integrable  | 59        |
| 3.6      | A non-Riemann integrable function where a sequence of Riemann sums is convergent  | 60        |
| 3.7      | A Riemann integrable function without a primitive   | 61        |
| 3.8      | A Riemann integrable function whose discontinuity points are dense  | 62        |
| 3.9      | Semicontinuity does not imply Riemann integrability   | 63        |
| 3.10     | A function which has the intermediate value property but is not Riemann integrable  | 64        |
| 3.11     | A Lipschitz continuous function $g$ and a Riemann integrable function $f$ such that $f \circ g$ is not Riemann integrable   | 65        |
| 3.12     | The composition of Riemann integrable functions need not be Riemann integrable  | 65        |
| 3.13     | An increasing sequence of Riemann integrable functions $0 \leq f_n \leq 1$ such that $\sup_n f_n$ is not Riemann integrable | 65        |
| 3.14     | A decreasing sequence of Riemann integrable functions $0 \leq f_n \leq 1$ such that $\inf_n f_n$ is not Riemann integrable  | 65        |
| 3.15     | Limit theorems for Riemann integrals are sub-optimal  | 66        |
| 3.16     | The space of Riemann integrable functions is not complete   | 67        |
| 3.17     | An example where integration by substitution goes wrong   | 68        |
| 3.18     | A Riemann integrable function which is not Borel measurable   | 68        |
| 3.19     | A non-Riemann integrable function $f$ which coincides a.e. with a continuous function                                       | 69        |
| 3.20     | A Riemann integrable function on $\mathbb{R}^2$ whose iterated integrals are not Riemann integrable                         | 69        |
| 3.21     | Upper and lower integrals do not work for the Riemann–Stieltjes integral  | 71        |
| 3.22     | The Riemann–Stieltjes integral does not exist if integrand and integrator have a common discontinuity                       | 72        |
| <b>4</b> | <b>Families of Sets</b>   | <b>73</b> |
| 4.1      | A Dynkin system which is not a $\sigma$ -algebra  | 76        |
| 4.2      | A monotone class which is not a $\sigma$ -algebra   | 77        |
| 4.3      | A $\sigma$ -algebra which contains all singletons but no non-trivial interval   | 77        |

|          |   |            |
|----------|---|------------|
| 4.4      | There is no $\sigma$ -algebra with $\#\mathcal{A} = \#\mathbb{N}$   | 78         |
| 4.5      | A $\sigma$ -algebra which has no non-empty atoms  | 78         |
| 4.6      | An increasing family of $\sigma$ -algebras whose union fails to be a $\sigma$ -algebra  | 79         |
| 4.7      | The union of countably many strictly increasing $\sigma$ -algebras is never a $\sigma$ -algebra   | 80         |
| 4.8      | A countably generated $\sigma$ -algebra containing a sub- $\sigma$ -algebra which is not countably generated  | 81         |
| 4.9      | Two countably generated $\sigma$ -algebras whose intersection is not countably generated  | 82         |
| 4.10     | A Borel $\sigma$ -algebra which is not countably generated  | 83         |
| 4.11     | $\sigma(\mathcal{G})$ can only separate points if $\mathcal{G}$ does  | 84         |
| 4.12     | A family $\mathcal{G}$ of intervals whose endpoints form a dense subset of $\mathbb{R}$ but $\sigma(\mathcal{G}) \subsetneq \mathcal{B}(\mathbb{R})$                                  | 84         |
| 4.13     | Intersection and the $\sigma$ -operation do not commute:<br>$\sigma\left(\bigcap_{n \in \mathbb{N}} \mathcal{G}_n\right) \subsetneq \bigcap_{n \in \mathbb{N}} \sigma(\mathcal{G}_n)$ | 84         |
| 4.14     | A metric space such that the $\sigma$ -algebra generated by the open balls is smaller than the Borel $\sigma$ -algebra  | 85         |
| 4.15     | The $\sigma$ -algebra generated by the compact sets can be larger than the Borel $\sigma$ -algebra (compact sets need not be Borel sets)  | 85         |
| 4.16     | The $\sigma$ -algebra generated by the compact sets can be smaller than the Borel $\sigma$ -algebra   | 86         |
| 4.17     | A topology such that every non-empty Borel set has uncountably many elements  | 87         |
| 4.18     | A metrizable and a non-metrizable topology having the same Borel sets   | 87         |
| 4.19     | A $\sigma$ -algebra which is not generated by any topology  | 89         |
| 4.20     | A $\sigma$ -algebra which is strictly between the Borel and the Lebesgue sets   | 91         |
| 4.21     | The Borel sets cannot be constructed by induction   | 91         |
| 4.22     | The Borel sets can be constructed by transfinite induction  | 95         |
| 4.23     | (Non-)equivalent characterizations of the Baire $\sigma$ -algebra   | 96         |
| 4.24     | The Baire $\sigma$ -algebra can be strictly smaller than the Borel $\sigma$ -algebra  | 98         |
| <b>5</b> | <b>Set Functions and Measures</b>   | <b>100</b> |
| 5.1      | A class of measures where the $\mu(\emptyset) = 0$ is not needed in the definition  | 102        |
| 5.2      | A set function which is additive but not $\sigma$ -additive   | 102        |

|          |  |            |
|----------|--|------------|
| 5.3      | A finite set function which is additive but not $\sigma$ -additive   | 103        |
| 5.4      | Another finite set function which is additive but not $\sigma$ -additive   | 104        |
| 5.5      | A set function with infinitely many extensions   | 105        |
| 5.6      | A measure that cannot be further extended  | 105        |
| 5.7      | A measure defined on the open balls which cannot be extended to the Borel sets   | 106        |
| 5.8      | A signed pre-measure on an algebra $\mathcal{R}$ which cannot be extended to a signed measure on $\sigma(\mathcal{R})$   | 106        |
| 5.9      | A measure defined on a non-measurable set  | 107        |
| 5.10     | A measure which is not continuous from above   | 108        |
| 5.11     | A $\sigma$ -finite measure which is not $\sigma$ -finite on a smaller $\sigma$ -algebra                                  | 108        |
| 5.12     | A $\sigma$ -finite measure $\mu$ on $\mathcal{B}(\mathbb{R})$ such that $\mu(I) = \infty$ for every non-trivial interval | 108        |
| 5.13     | A $\sigma$ -finite measure $\mu$ on $\mathcal{B}(\mathbb{R})$ which is not a Lebesgue–Stieltjes measure                  | 108        |
| 5.14     | Infinite sums of finite measures need not be $\sigma$ -finite  | 109        |
| 5.15     | The image measure of a $\sigma$ -finite measure is not necessarily $\sigma$ -finite                                      | 109        |
| 5.16     | A locally finite measure need not be $\sigma$ -finite  | 109        |
| 5.17     | Two measures on $\sigma(\mathcal{G})$ such that $\mu _{\mathcal{G}} \leq \nu _{\mathcal{G}}$ but $\mu \leq \nu$ fails    | 110        |
| 5.18     | Two measures on $\sigma(\mathcal{G})$ such that $\mu _{\mathcal{G}} = \nu _{\mathcal{G}}$ but $\mu \neq \nu$             | 110        |
| 5.19     | Two measures $\mu \neq \nu$ such that $\int p d\mu = \int p d\nu$ for all polynomials                                    | 111        |
| 5.20     | Two finite measures $\mu \neq \nu$ whose Fourier transforms coincide on an interval containing zero                      | 113        |
| 5.21     | (Non)Equivalent definitions of the convolution of measures   | 114        |
| 5.22     | The convolution of $\sigma$ -finite measures need not be $\sigma$ -finite  | 115        |
| 5.23     | $\mu * \nu = \mu$ does not imply $\nu = \delta_0$  | 116        |
| 5.24     | The push forward ‘disaster’ (image measures behaving badly)  | 117        |
| 5.25     | The pull-back of a measure need not be a measure   | 118        |
| 5.26     | A finite Borel measure which is not tight  | 119        |
| 5.27     | A translation-invariant Borel measure which is not a multiple of Lebesgue measure  | 120        |
| 5.28     | There is no Lebesgue measure in infinite dimension   | 121        |
| <b>6</b> | <b>Range and Support of a Measure</b>  | <b>123</b> |
| 6.1      | A measure where $\text{supp } \mu \neq \bigcap \{B; \mu(B^c) = 0\}$  | 124        |

|          |   |            |
|----------|---|------------|
| 6.2      | A measure which has no minimal closed support   | 124        |
| 6.3      | Measures may have very small support  | 125        |
| 6.4      | A measure $\mu$ such that the support of $\mu _{\text{supp } \mu}$ is strictly smaller than $\text{supp } \mu$                        | 125        |
| 6.5      | A measure with $\text{supp } \mu = \{c\}$ but $\mu \neq \delta_c$   | 126        |
| 6.6      | Measures such that $\text{supp } \mu + \text{supp } \nu \not\subseteq \text{supp } \mu * \nu$   | 126        |
| 6.7      | Measures such that $\text{supp } \mu * \nu \not\subseteq \overline{\text{supp } \mu + \text{supp } \nu}$                              | 127        |
| 6.8      | A signed measure such that $\text{supp } \mu^+ = \text{supp } \mu^-$  | 128        |
| 6.9      | A two-valued measure which is not a point mass  | 128        |
| 6.10     | A two-valued measure on a countably generated $\sigma$ -algebra must be a point mass  | 129        |
| 6.11     | (Non-)equivalent characterizations of atoms of a measure  | 130        |
| 6.12     | A purely atomic measure such that $\mu \neq \sum_x \mu(\{x\})\delta_x$  | 131        |
| 6.13     | A measure such that every set with positive measure is an atom  | 131        |
| 6.14     | An infinite sum of atomic measures which is non-atomic  | 131        |
| 6.15     | Any non-atomic finite $\sigma$ -additive measure defined on $\mathcal{P}(\mathbb{R})$ is identically zero                             | 132        |
| 6.16     | A measure on a discrete space which attains all values in $[0, \infty]$   | 133        |
| 6.17     | A measure whose range is not a closed set   | 133        |
| 6.18     | A measure with countable range  | 134        |
| 6.19     | A vector measure which is non-atomic but whose range is not convex  | 134        |
| 6.20     | A non-trivial measure which assigns measure zero to all open balls  | 135        |
| 6.21     | A signed measure $\mu: \mathcal{A} \rightarrow (-\infty, \infty]$ is uniformly bounded below  | 136        |
| <b>7</b> | <b>Measurable and Non-Measurable Sets</b>   | <b>138</b> |
| 7.1      | A dense open set in $(0, 1)$ with arbitrarily small Lebesgue measure  | 139        |
| 7.2      | A set of positive Lebesgue measure which does not contain any interval  | 140        |
| 7.3      | A Cantor-like set with arbitrary measure  | 140        |
| 7.4      | An uncountable set of zero measure  | 141        |
| 7.5      | A Lebesgue null set $A \subseteq \mathbb{R}$ such that for every $\delta \in [0, 1]$ there exist $x, y \in A$ with $\delta =  x - y $ | 141        |
| 7.6      | A dense open set whose complement has positive measure  | 144        |

|          |  |     |
|----------|--|-----|
| 7.7      | A compact set whose boundary has positive Lebesgue measure   | 144 |
| 7.8      | A set of first category in $[0, 1]$ with measure one   | 144 |
| 7.9      | A set of second category with measure zero   | 145 |
| 7.10     | An uncountable, dense set of measure zero such that the complement is of first category  | 145 |
| 7.11     | A null set which is not an $F_\sigma$ -set   | 145 |
| 7.12     | A Borel set which is neither $F_\sigma$ nor $G_\delta$   | 146 |
| 7.13     | Each Borel set is the union of a null set and a set of first category  | 147 |
| 7.14     | A set $B \subseteq \mathbb{R}$ such that $B \cap F \neq \emptyset$ and $B^c \cap F \neq \emptyset$ for any uncountable closed set $F$          | 147 |
| 7.15     | A Borel set $B \subseteq \mathbb{R}$ such that $\lambda(B \cap I) > 0$ and $\lambda(B^c \cap I) > 0$ for all open intervals $I \neq \emptyset$ | 148 |
| 7.16     | There is no Borel set $B$ with $\lambda(B \cap I) = \frac{1}{2}\lambda(I)$ for all intervals $I$   | 148 |
| 7.17     | A non-Borel set $B$ such that $K \cap B$ is Borel for every compact set $K$  | 149 |
| 7.18     | A convex set which is not Borel  | 149 |
| 7.19     | A Souslin set which is not Borel   | 150 |
| 7.20     | A Lebesgue measurable set which is not Borel measurable  | 153 |
| 7.21     | A Lebesgue measurable set which is not a Souslin set   | 153 |
| 7.22     | A non-Lebesgue measurable set  | 153 |
| 7.23     | Arbitrary unions of non-trivial closed balls need not be Borel measurable  | 155 |
| 7.24     | The image of a Borel set under a continuous mapping need not be Borel  | 155 |
| 7.25     | The image of a Lebesgue set under a continuous mapping need not be Lebesgue measurable   | 157 |
| 7.26     | The Minkowski sum $A + B$ of two Borel sets is not necessarily Borel   | 158 |
| 7.27     | A Lebesgue null set $B$ such that $B + B = \mathbb{R}$   | 158 |
| 7.28     | The difference of fat Cantor sets contains an interval   | 159 |
| 7.29     | The sum of scaled Cantor sets is sometimes an interval   | 161 |
| 7.30     | The difference of fat Cantor sets is exactly $[-1, 1]$   | 161 |
| 7.31     | The Banach–Tarski paradox  | 162 |
| <b>8</b> | <b>Measurable Maps and Functions</b>   | 164 |
| 8.1      | A measurable space where every map is measurable   | 165 |
| 8.2      | A measurable space where only constant functions are measurable  | 165 |

|      |   |     |
|------|---|-----|
| 8.3  | A non-measurable function whose modulus $ f $ is measurable   | 165 |
| 8.4  | A non-measurable function whose level sets $\{x; f(x) = \alpha\}$ are measurable  | 165 |
| 8.5  | A measurable function which is not $\mu$ -a.e. constant on any atom   | 165 |
| 8.6  | A function $f(x, y)$ which is Borel measurable in each variable, but fails to be jointly measurable   | 166 |
| 8.7  | Another function $f(x, y)$ which is Borel measurable in each variable, but fails to be jointly measurable   | 167 |
| 8.8  | A function $f = (f_1, f_2)$ which is not measurable but whose components are measurable   | 168 |
| 8.9  | The set of continuity points of any function $f$ is Borel measurable  | 168 |
| 8.10 | A set $D$ for which there exists no function having $D$ as its discontinuity set  | 170 |
| 8.11 | A bijective measurable function $f$ such that $f^{-1}$ is not measurable  | 171 |
| 8.12 | A continuous bijective function $f : [0, 1] \rightarrow [0, 1]$ which is not Lebesgue measurable  | 171 |
| 8.13 | A Lebesgue measurable bijective map $f : \mathbb{R} \rightarrow \mathbb{R}$ whose inverse is not Lebesgue measurable  | 172 |
| 8.14 | Borel measurable bijective maps have Borel measurable inverses  | 173 |
| 8.15 | Sums and products of measurable functions need not be measurable  | 173 |
| 8.16 | The limit of a sequence of measurable functions need not be measurable  | 174 |
| 8.17 | A sequence of measurable functions such that the set $\{x; \lim_{n \rightarrow \infty} f_n(x) \text{ exists}\}$ is not measurable   | 175 |
| 8.18 | The supremum of measurable functions need to be measurable  | 175 |
| 8.19 | Measurability is not preserved under convolutions   | 176 |
| 8.20 | The factorization lemma fails for general measurable spaces   | 177 |
| 8.21 | A Lebesgue measurable function $f : \mathbb{R} \rightarrow \mathbb{R}$ for which there is no Borel measurable function $g : \mathbb{R} \rightarrow \mathbb{R}$ such that $f \leq g$ | 178 |
| 8.22 | A positive Borel measurable function which cannot be approximated a.e. from below by step functions   | 179 |

|          |  |     |
|----------|--|-----|
| 8.23     | $\mathbb{1}_{\mathbb{R} \setminus \mathbb{Q}}$ cannot be the pointwise limit of continuous functions   | 180 |
| <b>9</b> | <b>Inner and Outer Measure</b>   | 182 |
| 9.1      | An explicit construction of a non-measurable set   | 185 |
| 9.2      | A set which is not Lebesgue measurable with strictly positive outer and zero inner measure   | 186 |
| 9.3      | A decreasing sequence $A_n \downarrow \emptyset$ such that $\lambda^*(A_n) = 1$  | 186 |
| 9.4      | A set such that $\lambda_*(E) = 0$ and $\lambda^*(E \cap B) = \lambda(B) = \lambda^*(B \setminus E)$ for all $B \in \mathcal{B}(\mathbb{R})$ | 187 |
| 9.5      | Lebesgue measure beyond the Lebesgue sets  | 188 |
| 9.6      | The Carathéodory extension $\lambda^*$ of $\lambda _{[0,1]}$ is not continuous from above  | 189 |
| 9.7      | An outer measure which is not continuous from below  | 189 |
| 9.8      | A measure $\mu$ such that its outer measure $\mu^*$ is not additive  | 190 |
| 9.9      | A measure space such that $(X, \mathcal{A}^*, \mu^* _{\mathcal{A}^*})$ is not the completion of $(X, \mathcal{A}, \mu)$                      | 190 |
| 9.10     | A measure space where $\mu_*(E) = \mu^*(E)$ does not imply measurability of $E$  | 190 |
| 9.11     | A non-Lebesgue measurable set with identical inner and outer measure   | 191 |
| 9.12     | A measure such that every set is $\mu^*$ measurable  | 191 |
| 9.13     | A measure $\mu$ relative to $\mathcal{S}$ such that every non-empty set in $\mathcal{S}$ fails to be $\mu^*$ measurable                      | 192 |
| 9.14     | An additive set function $\mu$ on a semi-ring such that $\mu^*$ is not an extension of $\mu$   | 193 |
| 9.15     | An outer measure constructed on the intervals $[a, b)$ such that not all Borel sets are measurable   | 193 |
| 9.16     | There exist non- $\mu^*$ measurable sets if, and only if, $\mu^*$ is not additive on $\mathcal{P}(X)$  | 194 |
| 9.17     | An outer regular measure which is not inner compact regular  | 195 |
| 9.18     | An inner compact regular measure which is neither inner nor outer regular  | 195 |
| 9.19     | A measure which is neither inner nor outer regular   | 196 |
| 9.20     | A measure which is inner regular but not inner compact regular   | 197 |
| 9.21     | The regularity of a measure depends on the topology  | 197 |
| 9.22     | A regular Borel measure whose restriction to a Borel set is not regular  | 198 |

|           |  |     |
|-----------|--|-----|
| <b>10</b> | <b>Integrable Functions</b>  | 202 |
| 10.1      | An integrable function which is unbounded in every interval  | 203 |
| 10.2      | A continuous integrable function such that<br>$\lim_{ x  \rightarrow \infty} f(x) \neq 0$  | 204 |
| 10.3      | A continuous function vanishing at infinity which is not<br>in $L^p$ for any $p > 0$   | 205 |
| 10.4      | A non-integrable function such that<br>$\lim_{r \rightarrow \infty} r\mu(\{ f  > r\}) = 0$   | 205 |
| 10.5      | Characterizing integrability in terms of series  | 206 |
| 10.6      | A non-integrable function such that $f(x - 1/n)$ is integ-<br>rable for all $n \in \mathbb{N}$   | 207 |
| 10.7      | An integrable function such that $f(x - 1/n)$ fails to be<br>integrable for all $n \in \mathbb{N}$   | 208 |
| 10.8      | An improperly Riemann integrable function which is not<br>Lebesgue integrable  | 208 |
| 10.9      | A function such that $\lim_{n \rightarrow \infty} \int_0^n f d\lambda$ exists and is finite<br>but $\int_0^\infty f d\lambda$ does not exist       | 209 |
| 10.10     | A function which is nowhere locally integrable   | 210 |
| 10.11     | Integrable functions $f, g$ such that $f \cdot g$ is not integrable  | 210 |
| 10.12     | A function such that $f \notin L^p$ for all $p \in [1, \infty)$ but $fg \in L^1$<br>for all $g \in L^q, q \geq 1$                                  | 210 |
| 10.13     | $f \in L^p$ for all $p < q$ does not imply $f \in L^q$   | 211 |
| 10.14     | A function such that $f \in L^p$ for all $p < \infty$ but $f \notin L^\infty$  | 211 |
| 10.15     | A function such that $f \in L^\infty$ but $f \notin L^p$ for all $p < \infty$  | 212 |
| 10.16     | A function which is in exactly one space $L^p$   | 212 |
| 10.17     | Convolution is not associative   | 213 |
| 10.18     | An example where integration by substitution goes wrong  | 214 |
| 10.19     | There is no non-constant function such that<br>$\int_{\mathbb{R}^d \setminus \{0\}} \int_{\mathbb{R}^d}  f(x+y) - f(x)   y ^{-d-1} dx dy < \infty$ | 215 |
| 10.20     | A measure space which has no strictly positive function<br>$f \in L^1$   | 217 |
| 10.21     | In infinite measure spaces there is no function $f > 0$ with<br>$f \in L^1$ and $1/f \in L^1$  | 217 |
| 10.22     | There is no continuous function $f \geq 0$ with $\int f^n d\lambda = 1$<br>for all $n \in \mathbb{N}$  | 218 |
| 10.23     | A measure space where $\int_A f d\mu = \int_A g d\mu$ (for all $A$ ) does<br>not entail $f = g$ a.e.   | 219 |
| 10.24     | A vector function which is weakly but not strongly integrable  | 220 |

|           |   |     |
|-----------|---|-----|
| <b>11</b> | <b>Modes of Convergence</b>   | 221 |
| 11.1      | Classical counterexamples to a.e. convergence vs. convergence in probability  | 222 |
| 11.2      | Pointwise convergence does not imply convergence in measure   | 223 |
| 11.3      | $L^p$ -convergence does not imply $L^r$ -convergence for $r \neq p$   | 224 |
| 11.4      | Classical counterexamples related to weak convergence in $L^p$  | 224 |
| 11.5      | The convergence tables  | 225 |
| 11.6      | The limit in probability is not necessarily unique  | 225 |
| 11.7      | A sequence converging in probability without having an a.e. converging subsequence                                    | 227 |
| 11.8      | A sequence converging in probability without having any subsequence converging in measure                             | 228 |
| 11.9      | A sequence such that $\int f_n(x) dx \rightarrow 0$ but $(f_n)_{n \in \mathbb{N}}$ has no convergent subsequence      | 229 |
| 11.10     | A sequence converging a.e. and in measure but not almost uniformly  | 229 |
| 11.11     | Egorov's theorem fails for infinite measures  | 229 |
| 11.12     | Egorov's theorem does not hold for nets   | 229 |
| 11.13     | A uniformly convergent sequence of $L^1$ -functions which is not convergent in $L^1$                                  | 231 |
| 11.14     | Convergence in measure is not stable under products   | 231 |
| 11.15     | A measure space where convergence in measure and uniform convergence coincide   | 232 |
| 11.16     | A measure space where strong and weak convergence of sequences in $L^1$ coincide                                      | 233 |
| 11.17     | Convergence a.e. is not metrizable  | 233 |
| <b>12</b> | <b>Convergence Theorems</b>   | 235 |
| 12.1      | Classical counterexamples to dominated convergence  | 236 |
| 12.2      | Fatou's lemma may fail for non-positive integrands  | 236 |
| 12.3      | Fatou's lemma may lead to a strict inequality   | 237 |
| 12.4      | The monotone convergence theorem needs a lower integrable bound   | 237 |
| 12.5      | A series of functions such that integration and summation do not interchange  | 238 |
| 12.6      | Riesz's convergence theorem fails for $p = \infty$  | 239 |
| 12.7      | A sequence such that $f_n \rightarrow 0$ pointwise but $\int_I f_n d\lambda \rightarrow \lambda(I)$ for all intervals | 239 |

|           |  |     |
|-----------|--|-----|
| 12.8      | $\int_I f_n d\lambda \rightarrow \int_I f d\lambda$ for all intervals $I$ does not imply<br>$\int_B f_n d\lambda \rightarrow \int_B f d\lambda$ for all Borel sets $B$ | 240 |
| 12.9      | The classical convergence theorems fail for nets   | 242 |
| 12.10     | The continuity lemma ‘only’ proves sequential continuity   | 243 |
| 12.11     | A sequence $f_n$ converging to 0 in $L^1$ without integrable<br>envelope – the ‘sliding hump’  | 244 |
| 12.12     | A sequence $(f_n)_{n \in \mathbb{N}}$ which is uniformly integrable but<br>$\sup_n  f_n $ is not integrable  | 244 |
| 12.13     | A sequence which is not uniformly integrable but $f_n \rightarrow 0$<br>and $\int f_n d\lambda \rightarrow 0$  | 245 |
| 12.14     | An $L^1$ -bounded sequence which is not uniformly integrable   | 245 |
| 12.15     | A uniformly integrable sequence which does not converge<br>in $L^1$  | 245 |
| 12.16     | An $L^1$ -bounded sequence which fails to be uniformly<br>integrable on any set of positive measure  | 246 |
| <b>13</b> | <b>Continuity and a.e. Continuity</b>  | 247 |
| 13.1      | An a.e. continuous function which does not coincide a.e.<br>with any continuous function   | 248 |
| 13.2      | A nowhere continuous function which equals a.e. a<br>continuous function   | 248 |
| 13.3      | A function $f$ such that every $g$ with $f = g$ a.e. is nowhere<br>continuous  | 248 |
| 13.4      | A function which is everywhere sequentially continuous<br>but nowhere continuous   | 249 |
| 13.5      | An a.e. continuous function whose discontinuity points<br>are dense  | 249 |
| 13.6      | An a.e. discontinuous function whose continuity points<br>are dense  | 249 |
| 13.7      | The composition of two a.e. continuous functions which<br>is nowhere continuous  | 250 |
| 13.8      | An a.e. continuous function which is not Borel measurable  | 251 |
| 13.9      | A bounded Borel measurable function such that<br>$f(x + 1/n) \rightarrow f(x)$ fails to hold on a set of positive measure  | 251 |
| 13.10     | A nowhere constant function which is a.e. continuous<br>and has countable range  | 252 |
| 13.11     | A continuous function such that $f(x) \in \mathbb{Q}$ a.e. and $f$ is<br>not constant on any interval  | 252 |
| 13.12     | A continuous function which is strictly positive on $\mathbb{Q}$ but<br>fails to be strictly positive almost everywhere  | 253 |

|           |  |     |
|-----------|--|-----|
| 13.13     | A measurable function which is zero almost everywhere but whose graph is dense   | 254 |
| 13.14     | A continuous function $f : [0, 1] \rightarrow \mathbb{R}^2$ whose image has positive Lebesgue measure  | 255 |
| 13.15     | The image of a Lebesgue null set under a continuous bijective mapping need not have Lebesgue measure zero                                    | 257 |
| 13.16     | Lusin's theorem fails for non-regular measures   | 257 |
| 13.17     | The convolution of two integrable functions may be discontinuous   | 258 |
| <b>14</b> | <b>Integration and Differentiation</b>   | 261 |
| 14.1      | A non-Riemann integrable function $f$ which has a primitive  | 262 |
| 14.2      | A function $f$ which is differentiable, but $f'$ is not integrable   | 263 |
| 14.3      | Volterra's version of Example 14.2   | 264 |
| 14.4      | A continuous function such that $f'$ exists almost everywhere and is integrable but the fundamental theorem of calculus fails                | 265 |
| 14.5      | A continuous strictly increasing function with $f' = 0$ Lebesgue almost everywhere   | 266 |
| 14.6      | A continuous function $f$ such that $f' > 1$ a.e. but $f$ is not increasing on any interval  | 266 |
| 14.7      | A function which is Lebesgue almost everywhere differentiable but $f'$ does not exist on a dense subset of $\mathbb{R}$                      | 268 |
| 14.8      | $f_n \rightarrow f$ and $f'_n \rightarrow g$ pointwise does not imply $f' = g$ a.e.  | 268 |
| 14.9      | A function $f(t, x)$ for which $\partial_t \int f(t, x) dx$ and $\int \partial_t f(t, x) dx$ exist but are not equal                         | 271 |
| 14.10     | A function such that $\partial_t \int f(t, x) dx$ exists but $\int \partial_t f(t, x) dx$ does not   | 271 |
| 14.11     | A function such that $\int \partial_t f(t, x) dx$ exists but $\partial_t \int f(t, x) dx$ does not   | 272 |
| 14.12     | A bounded function such that $t \mapsto f(t, x)$ is continuous but $t \mapsto \int f(t, x) \mu(dx)$ is not continuous                        | 272 |
| 14.13     | An increasing continuous function $\phi$ and a continuous function $f$ such that $\int_0^1 f(x) d\alpha(x) \neq \int_0^1 f(x) \alpha'(x) dx$ | 272 |
| 14.14     | A nowhere continuous function whose Lebesgue points are dense  | 273 |
| 14.15     | A discontinuous function such that every point is a Lebesgue point   | 273 |

|           |  |            |
|-----------|--|------------|
| 14.16     | An integrable function $f$ such that $x \mapsto \int_0^x f(t) dt$ is differentiable at $x = x_0$ but $x_0$ is not a Lebesgue point of $f$  | 274        |
| 14.17     | Lebesgue points of $f$ need not be Lebesgue points of $f^2$  | 275        |
| 14.18     | Functions $f \in L^p$ , $0 < p < 1$ , without Lebesgue points  | 275        |
| 14.19     | Lebesgue's differentiation theorem fails for sets which are not shrinking nicely   | 276        |
| 14.20     | A measure for which Lebesgue's differentiation theorem fails   | 278        |
| <b>15</b> | <b>Measurability on Product Spaces</b>   | <b>280</b> |
| 15.1      | A function which is Borel measurable but not Lebesgue measurable   | 281        |
| 15.2      | The product of complete $\sigma$ -algebras need not be complete  | 281        |
| 15.3      | $\mathcal{L}(\mathbb{R}) \otimes \mathcal{L}(\mathbb{R}) \subsetneq \mathcal{L}(\mathbb{R}^2)$   | 282        |
| 15.4      | Sigma algebras $\mathcal{A} = \sigma(\mathcal{G})$ and $\mathcal{B} = \sigma(\mathcal{H})$ such that $\sigma(\mathcal{G} \times \mathcal{H})$ is strictly smaller than $\mathcal{A} \otimes \mathcal{B}$ | 282        |
| 15.5      | An example where $\mathcal{P}(X) \otimes \mathcal{P}(X) \neq \mathcal{P}(X \times X)$  | 283        |
| 15.6      | The product of Borel $\sigma$ -algebras is not always the Borel $\sigma$ -algebra of the product   | 284        |
| 15.7      | Topological spaces $X, Y$ such that $\mathcal{B}(X) = \mathcal{B}(Y)$ but $\mathcal{B}(X \times X) \neq \mathcal{B}(Y \times Y)$   | 285        |
| 15.8      | $\mathcal{B}(X)^{\otimes I}$ is strictly smaller than $\mathcal{B}(X^I)$ for uncountable $I$   | 286        |
| 15.9      | The diagonal $\Delta = \{(x, x); x \in X\}$ need not be measurable   | 288        |
| 15.10     | A metric which is not jointly measurable   | 289        |
| 15.11     | A non-measurable set whose projections are measurable  | 289        |
| 15.12     | A measurable set whose projection is not measurable  | 289        |
| 15.13     | A non-measurable set whose slices are measurable   | 290        |
| 15.14     | A measurable function with a non-measurable graph  | 291        |
| 15.15     | A non-measurable function with a measurable graph  | 291        |
| 15.16     | A function $f(x, y)$ which is measurable in each variable but fails to be jointly measurable   | 291        |
| 15.17     | A function $f(x, y)$ which is separately continuous in each variable but fails to be Borel measurable  | 292        |
| 15.18     | An $\mathcal{A} \otimes \mathcal{B}$ measurable function $f \geq 0$ which cannot be approximated from below by simple functions of product form  | 293        |
| <b>16</b> | <b>Product Measures</b>  | <b>295</b> |
| 16.1      | Non-uniqueness of product measures   | 298        |
| 16.2      | A measure on a product space which is not a product measure  | 299        |

|       |  |     |
|-------|--|-----|
| 16.3  | The product of complete measure spaces need not be complete  | 299 |
| 16.4  | A Lebesgue null set in $[0, 1]^2$ which intersects any set $A \times B$ whose Lebesgue measure is positive   | 299 |
| 16.5  | A set $A \subseteq \mathbb{R}^2$ of positive Lebesgue measure which does not contain any rectangle   | 300 |
| 16.6  | A set $A \subseteq \mathbb{R}^2$ of positive Lebesgue measure such that the intersection of every non-degenerate rectangle with $A^c$ has positive measure | 300 |
| 16.7  | A set $A \subseteq \mathbb{R}^2$ of positive Lebesgue measure which is not a countable union of rectangles   | 302 |
| 16.8  | A jointly measurable function such that $x \mapsto \int f(x, y) \mu(dy)$ is not measurable   | 302 |
| 16.9  | A function $f(x, y)$ such that $f(\cdot, y)$ is $\mathcal{A}$ measurable but $\int f(\cdot, y) dy$ is not $\mathcal{A}$ measurable                         | 302 |
| 16.10 | Tonelli's theorem fails for non-positive integrands  | 304 |
| 16.11 | A positive function with $f(x, y) = f(y, x)$ such that the iterated integrals do not coincide  | 305 |
| 16.12 | A positive function $f(x, y)$ whose iterated integrals do not coincide   | 305 |
| 16.13 | A finite measure $\mu$ and a Borel set $B$ such that $\iint \mathbb{1}_B(x + y) \mu(dx) \lambda(dy) \neq \iint \mathbb{1}_B(x + y) \lambda(dy) \mu(dx)$    | 306 |
| 16.14 | A non-measurable function $f(x, y)$ such that the iterated integral $\iint f(x, y) dx dy$ exists and is finite   | 307 |
| 16.15 | A function $f(x, y)$ whose iterated integrals exist but do not coincide  | 308 |
| 16.16 | A function $f(x, y)$ which is not integrable but whose iterated integrals exist and coincide   | 309 |
| 16.17 | Yet another example where the iterated integrals exist, but the double integral doesn't  | 310 |
| 16.18 | An a.e. continuous function $f(x, y)$ where only one iterated integral exists  | 311 |
| 16.19 | Classical integration by parts fails for Lebesgue–Stieltjes integrals  | 311 |
| 16.20 | A function which is $K(x, dy)$ -integrable but fails to be $\mu K(dy)$ -integrable   | 313 |
| 16.21 | A consistent family of marginals which does not admit a projective limit   | 315 |

|           |   |     |
|-----------|---|-----|
| <b>17</b> | <b>Radon–Nikodým and Related Results</b>  | 317 |
| 17.1      | An absolutely continuous measure without a density  | 317 |
| 17.2      | Another absolutely continuous measure without density   | 318 |
| 17.3      | Yet another absolutely continuous measure without density   | 318 |
| 17.4      | A not-absolutely continuous measure given by a density  | 319 |
| 17.5      | A measure $\mu \ll \lambda$ such that $\lambda(A_n) \rightarrow 0$ does not imply $\mu(A_n) \rightarrow 0$                      | 320 |
| 17.6      | A measure $\mu$ which is absolutely continuous w.r.t. Lebesgue measure and $\mu(a, b) = \infty$ for any $(a, b) \neq \emptyset$ | 320 |
| 17.7      | A continuous measure which is not absolutely continuous   | 321 |
| 17.8      | An absolutely continuous function whose inverse is not absolutely continuous  | 321 |
| 17.9      | A continuous measure with atoms   | 321 |
| 17.10     | The Radon–Nikodým density $f = d\nu/d\mu$ does not necessarily satisfy $f(x) = \lim_{r \downarrow 0} \nu(B_r(x))/\mu(B_r(x))$   | 322 |
| 17.11     | Lebesgue’s decomposition theorem fails without $\sigma$ -finiteness   | 322 |
| 17.12     | Two mutually singular measures which have the same support  | 322 |
| 17.13     | A probability measure $\mu$ with full support such that $\mu$ and $\mu(c \cdot)$ are mutually singular for $c \neq 1$           | 322 |
| 17.14     | The convolution of two singular measures may be absolutely continuous   | 324 |
| 17.15     | Singular measures with full support – the case of Bernoulli convolutions  | 325 |
| 17.16     | The maximum of two measures need not be the maximum of its values   | 329 |
| <b>18</b> | <b>Function Spaces</b>  | 330 |
| 18.1      | Relations between $L^r, L^s, L^t$ if $r < s < t$  | 332 |
| 18.2      | One may have $\ell^p(\mu) \subseteq \ell^q(\mu)$ , or $\ell^p(\mu) \supseteq \ell^q(\mu)$ , or no inclusion at all              | 334 |
| 18.3      | A measure space where $L^p = \{0\}$ for all $0 \leq p < \infty$   | 336 |
| 18.4      | A measure space where all spaces $L^p, 1 \leq p \leq \infty$ coincide   | 336 |
| 18.5      | A measure space where $L^1 \subsetneq L^\infty$   | 337 |
| 18.6      | $L^1(\mu) = L^\infty(\mu)$ if, and only if, $1 \leq \dim(L^1(\mu)) < \infty$  | 337 |
| 18.7      | A function where $\sup_{x \in U}  f(x)  \neq \ f\ _{L^\infty(U)}$ for any open set $U$  | 340 |
| 18.8      | One cannot compare $L^p$ -norms on $C[0, 1]$  | 341 |
| 18.9      | The spaces $L^p$ with $0 < p < 1$ are only quasi-normed spaces  | 341 |
| 18.10     | The spaces $L^p$ with $0 < p < 1$ are not locally convex  | 343 |

|           |   |     |
|-----------|---|-----|
| 18.11     | The dual of $L^p(\lambda)$ with $0 < p < 1$ is trivial  | 344 |
| 18.12     | Functions $f \in L^p$ , $0 < p < 1$ , need not be locally integrable  | 345 |
| 18.13     | The spaces $L^q$ with $q < 0$ are not linear spaces   | 346 |
| 18.14     | A measure space where $L^p$ is not separable  | 346 |
| 18.15     | Separability of the space $L^\infty$  | 347 |
| 18.16     | $C_b(X)$ need not be dense in $L^p(\mu)$  | 349 |
| 18.17     | A subset of $L^p$ which is dense in $L^r$ , $r < p$ , but not dense in $L^p$                                | 350 |
| 18.18     | $L^p$ is not an inner product space unless $p = 2$ or $\dim(L^p) \leq 1$                                    | 351 |
| 18.19     | The condition $\sup_{\ g\ _{L^q} \leq 1} \int  fg  d\mu < \infty$ need not imply that $f \in L^p(\mu)$      | 352 |
| 18.20     | Identifying the dual of $L^p$ with $L^q$ is a tricky business   | 354 |
| 18.21     | The dual of $L^1$ can be larger than $L^\infty$   | 355 |
| 18.22     | The dual of $L^1$ can be isometrically isomorphic to a space which is strictly smaller than $L^\infty$      | 357 |
| 18.23     | A measure space such that the dual of $L^1$ is $L^1$  | 358 |
| 18.24     | The dual of $L^\infty$ can be larger than $L^1$   | 358 |
| 18.25     | A measure space where the dual of $L^\infty$ is $L^1$   | 359 |
| 18.26     | Non-uniqueness in the Riesz representation theorem  | 360 |
| 18.27     | Non-uniqueness in the Riesz representation theorem II   | 360 |
| 18.28     | A measure space where $L^\infty$ is not weakly sequentially complete  | 361 |
| 18.29     | Uniform boundedness does not imply weak compactness in $L^1$  | 363 |
| 18.30     | The algebra $L^1(\lambda^d)$ does not have a unit element   | 364 |
| 18.31     | The algebra $L^1(\lambda^d)$ contains non-trivial divisors of zero  | 364 |
| 18.32     | Uniform convexity/rotundity of $L^p$  | 365 |
| 18.33     | An absolutely continuous measure such that the translation operator is not continuous in $L^1$              | 366 |
| 18.34     | There is no Bochner integral in spaces which are not locally convex   | 367 |
| <b>19</b> | <b>Convergence of Measures</b>  | 370 |
| 19.1      | Classical counterexamples related to vague and weak convergence   | 373 |
| 19.2      | Vague convergence does not preserve mass  | 375 |
| 19.3      | Vague convergence of positive measures $\mu_n \rightarrow \mu$ does not imply $ \mu_n - \mu  \rightarrow 0$ | 375 |
| 19.4      | Vague convergence $\mu_n \rightarrow 0$ does not entail vague convergence $ \mu_n  \rightarrow 0$           | 375 |

|       |   |     |
|-------|---|-----|
| 19.5  | Vague convergence does not imply $\mu_n(B) \rightarrow \mu(B)$ for all Borel sets   | 376 |
| 19.6  | A sequence of absolutely continuous measures which converges weakly to $\lambda$ on $[0, 1]$ but $\mu_n(B) \rightarrow \lambda(B)$ fails for some Borel set $B \subseteq [0, 1]$    | 376 |
| 19.7  | A sequence of measures $\mu_n$ such that $\lim_{n \rightarrow \infty} \int f d\mu_n$ exists, but is not of the form $\int f d\mu$   | 376 |
| 19.8  | Weakly convergent sequences need not be tight   | 377 |
| 19.9  | Signed measures $\mu_n$ such that $\int f d\mu_n \rightarrow \int f d\mu$ for all $f \in C(\mathbb{R})$ but $\mu_n(B) \rightarrow \mu(B)$ fails for sets with $\mu(\partial B) = 0$ | 377 |
| 19.10 | Signed measures $\mu_n$ such that $\int f d\mu_n \rightarrow \int f d\mu$ for all bounded uniformly continuous functions $f$ but $\mu_n$ does not converge weakly to $\mu$          | 378 |
| 19.11 | A sequence of measures which does not converge weakly but whose Fourier transforms converge pointwise   | 378 |
| 19.12 | Lévy's continuity theorem fails for nets  | 379 |
| 19.13 | A sequence of non-atomic measures converging weakly to a purely atomic measure  | 380 |
| 19.14 | A sequence of purely atomic measures converging weakly to a non-atomic measure  | 380 |
| 19.15 | A net of Dirac measures converging weakly to a non-Dirac measure  | 381 |
| 19.16 | $f_n \mu \rightarrow f \mu$ weakly does not imply $f_n \rightarrow f$ in probability  | 381 |
| 19.17 | $f_n \mu \rightarrow f \mu$ weakly does not imply $f_n \rightarrow f$ weakly in $L^1(\mu)$  | 382 |
| 19.18 | $f_n \rightarrow f$ weakly in $L^p(\mu)$ for $p > 1$ does not imply $f_n \mu \rightarrow f \mu$ weakly  | 383 |
|       | <i>References</i>   | 385 |
|       | <i>Index</i>  | 394 |