








Index




This should be used in conjunction with the references, the table of contents, the lists of symbols and the list of topics. Generally, index entries are theorems, concepts and methods, but not concrete counterexamples. These can be found using the table of contents or the list of topics. Numbers following entries are either chapter numbers (§ n) or page numbers (n), bold numbers refer to definitions and important statements. The symbols  and  refer to pictures and tables. Unless otherwise stated, ‘integral’, ‘integrability’, etc. always mean the (abstract) Lebesgue integral. Within the index we use ‘L...’ and ‘R...’ as a shorthand for ‘(abstract) Lebesgue...’ and ‘Riemann...’.

- (M_0)–(M_2), 7
- (OM_1)–(OM_3), 28
- (\mathcal{O}_1)–(\mathcal{O}_3), 36
- (R1), (R2), 2
- (S_1)–(S_3), 27
- (Σ_1)–(Σ_3), 7

- absolute continuity
 - function, **157**
 - measure, §17, **29, 160, 319**
- algebra, **73**
- analytic set, *see* Souslin set
- atom
 - σ -algebra, **74**
 - functions on, 166
 - measure, §6, **123, 130**
 - signed measure, **134**
- axiom of choice, **41**

- Baire class, 180
- Baire σ -algebra, 96–99
- Baire space, 41
- Banach limit, 104
- Banach–Tarski paradox, 162
- Bernoulli convolutions, 325
- Besicovitch set, 161
- Besov space, 216
- bi-measurable, **118**, 171–173
- Bochner integral, 367
- Borel function, 164
- Borel measurable, §8, 164
- Borel σ -algebra, §4, **9**
 - cardinality, 91, 96, 178
 - generator, 86
 - transfinite induction, 95
 - vs. Baire σ -algebra, 97




- Cantor function, **49**,  50, 257,
265–267
and Rademacher functions,  53
as distribution function, 321, 325
Bernoulli convolution, 325
inverse,  53
Smith's version, 59
- Cantor set, **47**, 68, 140, 171
fat, *see* fat Cantor set
Minkowski sum of, 141, 158
space-filling curve, 255
- Carathéodory extension, §9, **28**, 182,
295
maximality, 183
- cardinal number, 43, 45
real measurable, 119
- category
Baire theorem, 40
first, **40**, 144, 145, 147, 302, 306
second, **40**, 145, 155, 160
- change of variables formula, **25**, 214
- characteristic function, *see* Fourier
transform
- completion, *see* measure, completion
- content, 100
- continuity points, 168–171, 249–250
- continuum hypothesis, 43, 46
- convergence (functions), §11
almost everywhere, §11, **221**
almost uniformly, §11, **221**
derivatives, 270
in L^p , §18, §11, **221**
in L^p weakly, **221**, **331**, 357,
361–363, 384
in measure, §11, **19**, 234
in probability, §11, **19**, 234
overview,  20,  226, 227
strong vs. weak convergence in L^p ,
233, 365
subsequence principle, **222**, 233
- convergence (measures), §19
setwise, **370**
total variation, §19, **373**
vague, §19, **371**
vague vs. weak, 372
weak, §19, **371**
weak*, 371
- convexity
local, 343, 368
strict, 331
uniform, 331, **365**
- convolution, **26**, 114–117, 176, 213,
258, 324–328, 364, 378
infinite, 325
support, 126–128
- derivative, §14
of monotone function, 261
Radon–Nikodým, §17, 278, **317**
series of monotone functions, 266
- diagonal (non-measurable), 284, 288
- Dieudonné measure, **101**, 125, 127,
258, 361
- Dirichlet's jump function, 59
- Dynkin system, 76
- F_σ -set, **37**, 145, 146, 170
- fat Cantor set, **140**, 144, 159–162, 171,
249
geometric, 140
- filter, **103**
- finite subset property, **100**, 219, 338,
352, 355, 358
- Fourier transform, 113, 378
decay, 325
- G_δ -set, **37**, 96, 146, 169
- Hilbert cube, 256


- image measure, *see* measure, image
- inequality
 - Hölder, 15
 - Hölder reverse, 341
 - Jensen, 17
 - Minkowski, 16
 - Minkowski double integral, 24
 - Minkowski reverse, 341
 - Young, 26
- infinite product
 - σ -algebra, *see* product σ -algebra
 - topology, *see* topology, product
- inner measure, §9, 100, **184**
- inner regular, §9, **185**
- integrability, §10
 - layer-cake formula, 23, 206, 207
 - series test, 206
 - weak vs. strong, 220
- integration, *see also* Lebesgue integral and Riemann integral
 - by parts, 311
 - by substitution, **25**, 214
 - history, 31–35
 - overview,  14
- intermediate value property, 64
- joint measurability, §15, §16, 166–168, **280**
- layer-cake formula, 23, 206, 207
- Lebesgue σ -algebra, §7, **10**
- Lebesgue integral, **13**
 - vs. Riemann integral, 19,  56
- Lebesgue measurable, §8, 164
- Lebesgue measure, **10**
 - finitely additive extension, 163, 188
 - infinite dimension, 121
- Lebesgue point, §14, **262**
- Lebesgue space L^p , §10, §18, **14**
 - completeness, 16
 - convergence, *see* convergence (fn)
 - dense subset, 349–351
 - dimension, 337, 348, 351
 - dual, 16, **330**, 354–359
 - log-convexity of norm, 334
 - $p \in (0, 1)$, 341–345
 - $p < 0$, 346
 - reflexive, 330
 - separability, 346–349
 - sequence space ℓ^p , 334
 - uniform convexity, 365
 - unit ball of ℓ^p ,  331
- Lebesgue–Stieltjes measure, 108, 311, 325
- locally integrable, **203**, 210
- Lusin’s condition (N), 157
- (M_0) – (M_2) , 7
- meagre, *see* category, first
- measurable cardinal, 119
- measurable function, §8, 10, 164
 - approximation, 180, 293
 - graph of, 291
 - jointly measurable, §15, §16, 166–168, **280**
- measurable set, §7, **7**, **138**
 - approximation, 180
 - Baire measurable, 96
 - μ^* measurable, §9, 28
- measurable space, **7**
- measure, §5, **7**
 - absolutely continuous, §17, **29**, **160**, **319**
 - atom, §6, **123**, **130**
 - (non-)atomic, §6, **123**
 - Borel, **100**
 - co-countable, 8, **101**, 106, 111, 116, 128, 131, 166, 196, 242, 381
 - completion, **9**, 190, 281
 - continuity from above, **8**, 108

- continuity from below, **8**
 continuous, §17, 317
 diffuse, §6, **123**
 examples, **8**–10
 extension, §5, §9, **28**
 finite subset property, **xxviii**,
 100, 219, 338, 352, 355, 358
 image, **8**, 24, 109, 117
 Jordan decomposition, 30
 kernel, 314
 Lebesgue decomposition, §17, 29
 localizable, 356
 locally finite, 109
 marginal, 21
 max/min of, 329
 product, *see* product measure
 pull-back of, 118
 purely atomic, §6, **123**, 348,
 380–381
 Radon, 242
 range, §6, 123
 regular, §9, **xxviii**, **185**
 relative to a family, §5, 27, 106, 194
 s-finite, 109
 σ -finite, §5, **xxviii**, 7, 217
 signed, **30**, 106, 128, 134, 136, 375,
 377–378
 singular, §17, **29**
 support, §6, **123**
 τ -additive/continuous, **242**, 373
 tight, 119, **377**
 trace, **8**, 107
 translation-invariant, 120
 two-valued, §6, 123
 uniqueness, §5, 27, 110
 measure space, **7**
 metric space, **xxix**, **38**, *see also*
 topological space
 Minkowski sum, 141, 158–162
 moment problem, 112
 monotone class, **77**
 μ^* measurable set, §9, 28
 Nedoma's pathology, 288
 nicely shrinking sets, 262, **276**
 non-measurable set, §7, 185
 diagonal, 284, 288
 nowhere dense set, **40**
 (\mathcal{O}_1)–(\mathcal{O}_3), 36
 (OM_1)–(OM_3), 28
 ordinal number, 44
 ordinal space, 45, 46
 σ -algebra, **75**, 101, 125, 127, 258,
 360
 continuous function, 47
 measure, **101**, 125, 127, 258, 361
 topology, 46
 outer envelope, **183**
 outer measure, §9, **28**, 100
 outer regular, §9, **185**
 parallelogram law, 351
 parameter-dependent integral
 continuity, 18, 243, 272
 differentiability, 18, 271–272
 perfect set, 47
 Pisot–Vijayaraghavan number, 328
 Polish space, **39**
 pre-measure, *see* measure, relative to
 a family
 primitive, 2, 4, 23, 31–35, 60, 262
 probability measure, **100**
 product measure, §16, **21**
 completion, 281
 existence, 22, 295
 uniqueness, 22, 298
 product σ -algebra, §15, **10**
 diagonal, 284, 288
 generator, 282





- infinite, **76**, 78, 87, 90, 99, 131, 286, 315, 322
- projective limit, 315
- pull-back measure, 118
- push-forward measure, *see* measure, image

- quasi-norm, 341, 368

- (R1), (R2), 2
- Rademacher function, 51,  52, 327
- rectangle, 10, 21, 280, 293, 300–302
 - Sorgenfrey plane, 285
- red-ink treatment, 1–393
- Riemann integrability, §3, 3
 - convergence theorem, 67
 - implies L-measurability, 56
- Riemann integral, §3, **1**
 - bivariate, 69
 - improper, 208
 - vs. Lebesgue integral, 19,  56
- Riemann's function, **61**,  61
- Riemann–Stieltjes integral, 71
- ring, **73**

- (S_1) – (S_3) , 27
- (Σ_1) – (Σ_3) , 7
- semi-ring, **27**, 73
- semicontinuous function, 63
- set function, §5, **100**
 - additive, **100**, 359, 371
- σ -algebra, §4, **7**
 - atom, **74**
 - Baire, 96–99
 - cardinality, 78, 89
 - co-countable, 8, **74**, 77, 81, 82, 85, 86, 101, 106, 108, 111, 116, 120, 128, 131, 166, 191, 195, 242, 288, 290, 291, 355, 381
 - completion, **9**
 - countably generated, **74**, 81–83, 129, 284
 - discrete, **8**
 - examples,  8–10
 - generator, **73**, 180
 - infinite product, **76**, 78, 87, 90, 99, 131, 286, 315, 322
 - Lebesgue, *see* Lebesgue σ -algebra
 - μ^* measurable sets, §9, 28
 - ordinal space, **75**, 101, 125, 127, 258, 360
 - product, §15, **10**
 - trace of, 8
- simple function, 11
 - approximation by, 11, 180, 293
- Sorgenfrey line, 39
 - Borel σ -algebra, **88**, 149, 168, 196, 197, 285
 - Lindelöf, 88
- Sorgenfrey plane
 - Borel σ -algebra, 168, 285
- Souslin set, 91, **138**
 - characterization, 139, 150
 - (pre)image of, 150
- space-filling curve, 256
- subsequence principle, **222**, 233
- support, §6, **123**

- theorem
 - Alexandroff, 373
 - Arzelà–Osgood, 67
 - Baire, 40
 - Beppo Levi, 12
 - Borel–Cantelli lemma, 222
 - Cantor–Bernstein, 44
 - Carathéodory, §9, **28**, 182, 295
 - dominated convergence, §12, 18
 - Doob–Dynkin theorem, 177
 - Egorov, 229–231
 - factorization lemma, 177

- Fatou's lemma, §12, 18
- Fréchet et al, 351
- Fubini, §16, 23
- fundamental theorem of calculus, §14, 261, 262
- Hahn–Jordan decomposition, 30
- Hausdorff maximality principle, 42
- Ionescu-Tulcea, 316
- Jacobi transformation, 25
- Jessen–Wintner pure type, 327
- Kakutani, 324
- Kolmogorov existence, 316
- Lévy continuity, 378–379
- Lebesgue's convergence, §12, 18
- Lebesgue's decomposition, §17, 29, 322
- Lebesgue's differentiation, §14, **262**, 276–279
- Lusin, §13, **247**
- Marczewski, 232, 234
- Milman–Pettis, 366
- monotone convergence, §12, 17
- Nikodým convergence, 370
- Pettis, 367
- portmanteau, §19, **372**
- Prohorov, 316, 377
- Radon–Nikodým, 29
- Riesz convergence, 239
- Riesz representation, **17**, 360–361
- Riesz–Fischer, 16
- sombbrero lemma, 11, 179
- Steinhaus, §7, **159**
- Tietze's extension, 170
- Tonelli, §16, 22
- Tychonoff, 39
- uniqueness of measures, 27
- Urysohn lemma, 97
- Urysohn's lemma, 372
- Vitali's convergence, 21
- Weil, 121
- well-ordering, 42
- Zorn's lemma, 42
- Thomae function, 59,  63, 249, 250, 252
 - reciprocal,  204
- tightness, 119
- topological space, **36**
 - examples, 38–40
 - first countable, **37**
 - Hausdorff, **37**
 - Lindelöf, 88
 - locally compact, **37**
 - second countable, **37**
 - separable,  xxix
 - σ -algebra, *see* Borel σ -algebra
 - σ -compact,  xxix, **86**, 110
- topology, **36**
 - basis, **37**
 - co-finite, **38**, 74, 83, 86, 98, 195
 - discrete, **38**, 85, 86, 97, 106, 120, 135, 198, 360
 - neighbourhood (base), 36
 - ordinal space, 46
 - product, **39**, 87, 99, 174, 234, 243, 286, 322
 - relative/trace, **38**
 - Sorgenfrey, **39**
- transfinite induction, **43**, 95
- ultrafilter, 103
- uniform integrability, §12, **20**, 363
- universal set, 93, 151